

(!) Discontinued

# APC Power-Saving Timer Essential SurgeArrest, 4 Outlet Wall Tap, 120V

P4GC

- ! Discontinued on: Feb 14, 2024
- ! End-of-service on: Sep 30, 2024

Product availability: Stock - Normally stocked in distribution facility

#### **Overview**

Lead time Usually in Stock

#### Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Provided equipment	User Manual

#### **Physical**

Color	White
Height	6.5 in (16.5 cm)
Width	3.7 in (9.4 cm)
Depth	2.008 in (5.1 cm)
Net Weight	0.55 lb(US) (0.25 kg)
Mounting preference	No preference
Mounting Mode	Not rack-mountable

#### Input

Input Frequency	50/60 Hz
Maximum Input Current per Phase	15 A

### **Output**

Number of power socket outlets	4
Outlet standard	NEMA 5-15R

#### **Conformance**

UL 1449 TVSS Rating	400
Product Certifications	ETL
Standards	UL 1449
Equipment protection policy	Lifetime : \$50000

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

#### **Environmental**

Ambient Air Temperature for Operation	32113 °F (045 °C)
Relative Humidity	095 %
Operating altitude	010000 ft
Ambient Air Temperature for Storage	23113 °F (-545 °C)
Storage Relative Humidity	095 %
Storage altitude	050000 ft (0.000000000015240.0000000000 m)

# **Surge Protection and Filtering**

NM Surge Response Time (ns)	1 ns common mode
Common mode rejection	40 dB
Peak current	72 kAcommon mode
Surge energy rating	1080 J

# Ordering and shipping details

Category	11309-APC RESALE PRODUCTS
Discount Schedule	APC1
GTIN	731304269267
Returnability	No
Country of origin	PH

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.6 in (24.5 cm)
Package 1 Width	2.6 in (6.7 cm)
Package 1 Length	8.9 in (22.6 cm)
Package 1 Weight	1.21 lb(US) (0.55 kg)
SCC14	10731304269264

## **Contractual warranty**

Warranty Limited Lifetime

Image of product / Alternate images

**Alternative** 

