



# Product: D6UP

Category 6 Cable, 4 Pair, U/UTP, CMP

### **Product Description**

Category 6 Premise Horizontal Cable (250MHz), 4 Pair, 23 AWG Solid Bare Copper Conductors, U/UTP, Plenum-CMP, Flamarrest® PVC-LS Jacket

### **Technical Specifications**

### Product Overview

Suitable Applications:		ons:	Premise Horizontal Cable, Ethernet 1000BASE-T, Ethernet 100BASE-TX, Ethernet 10BASE-T, Surveillance, PoE++, PoE+, PoE		
Patent:			This product has one or more applicable patents. More information on patents can be found at https://www.belden.com/patents.		
Construction Details		Details			
Cond	Conductor				
Size	Stranding	Material	No. of Pairs		
23	Solid	BC - Bare Copper			

### Insulation

Material	Color Code		
PO+FEP - Polyolefin + Fluorinated Ethylene Propylene	White/Blue Stripe & Blue, White/Orange Stripe & Orange, White/Green Stripe & Green, White/Brown Stripe & Brown		

### Outer Jacket

Material	Material T	rade Name	Nom. Diameter	Ripcord
PVC - Polyvinyl Chloride	Flamarrest	®	0.224 in (5.69 mm)	Yes
Overall Cable Diameter (	0.224 in (5	.69 mm)		

## **Electrical Characteristics**

### Electricals

Max. Conductor DCR	Max. Capacitance Unbalance
78 Ohm/km	330 pF/100m

### Delay

Frequency	Max. Delay	Max. Delay Skew	Nom. Velocity of Prop.
100 MHz	537.6 ns/100m	35 ns/100m	72%

#### Voltage

UL Voltage Rating 300 V (CMP)

### **Mechanical Characteristics**

### Temperature

UL Temperature	Operating	Installation	Storage
75°C	-20°C To +75°C	0°C To +50°C	-20°C To +75°C

### Bend Radius

Stationary Min.	Installation Min.
1.0 in (25 mm)	2.25

Max. Pull Tension:	25 lbs (11 kg)	
Bulk Cable Weight:	25 lbs/1000ft	

### **Standards and Compliance**

Environmental Suitability:	PlenumIndoor, Indoor
Sustainability:	Product Lens™, Environmental Product Declaration (EPD) Available
Flammability / Reaction to Fire:	NFPA 262, UL 910 (Plenum)
CPR Compliance:	CPR Euroclass: Eca
NEC / UL Compliance:	CMP
CEC / C(UL) Compliance:	CMP
IEEE Compliance:	IEEE 802.3bt Type 1, Type 2, Type 3, Type 4
Data Category:	Category 6
TIA/EIA Compliance:	ANSI/TIA-568.2-D Category 6
Third Party Performance Verification:	Category 6
ISO/IEC Compliance:	ISO/IEC 11801-1, IEC 61156-5
European Directive Compliance:	EU CE Mark, EU Directive 2015/863/EU (RoHS 2 amendment), EU Directive 2011/65/EU (RoHS 2), EU Directive 2012/19/EU (WEEE), REACH: 2017-07-10
APAC Compliance:	China RoHS II (GB/T 26572-2011)
Non-Plenum Number:	D6UR

### **Product Notes**

Electrical values are expected performance based on cable testing and representative performance within a typical Belden system.

### **History**

Update and Revision:

Revision Number: 0.165 Revision Date: 06-04-2025

#### **Part Numbers**

#### Variants

ltem #	Color	Putup Type	Length
D6UP 010U1000	Black	UnReel	1,000 ft
D6UP D15U1000	Blue	UnReel	1,000 ft
D6UP 008U1000	Gray	UnReel	1,000 ft
D6UP 005U1000	Green, Dark	UnReel	1,000 ft
D6UP 003U1000	Orange	UnReel	1,000 ft
D6UP 002U1000	Red	UnReel	1,000 ft
D6UP 007U1000	Violet	UnReel	1,000 ft
D6UP 009U1000	White	UnReel	1,000 ft
D6UP 004U1000	Yellow	UnReel	1,000 ft

#### © 2025 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulators based on their individual usage of the product.