

Product data sheet

Specifications



APC NetShelter Rack PDU Advanced Switched, 0U, 3 Phase, 415V, 69.0kVA 100A, 36 Outlets

APDU11550SW

Overview

Lead time Usually in Stock

Main

Color Black

Product or Component Type PDU

PDU Type Switched

Complementary

Input Voltage 415 V AC 3 phase

Height 78.0 in (1980 mm)

Width 3.3 in (85 mm)

Output Voltage 415 V AC 3 phase

Depth 3.3 in (85 mm)

Product Weight 44.5 lb(US) (20.2 kg)

Mounting Location Front
Rear

Mounting preference No preference

Input Plug Type IEC 309 100 A

Mounting Mode Rack-mounted

Rack units 0U

Mounting position Vertical

Input current limits 100 A

Input Frequency 50/60 Hz

Plug standard IEC 60309

Outlet type and quantity 18 C13/C15/C19/C21
18C13/C15

Environment

IP Degree of Protection IP67

Ambient Air Temperature for Operation 23...140 °F (-5...60 °C)

Relative Humidity 5...90 %

Operating altitude 0...10000 ft

Ambient Air Temperature for Storage -4...140 °F (-20...60 °C)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Storage Relative Humidity	5...95 %
----------------------------------	----------

Storage altitude	0...50000 ft (0...15240 m)
-------------------------	----------------------------

Ordering and shipping details

GTIN	731304775638
-------------	--------------

Packing Units

Unit Type of Package 1	PCE
-------------------------------	-----

Nbr. of units in pkg.	1
------------------------------	---

Package 1 Height	91.3 in (232 cm)
-------------------------	------------------

Package 1 Width	13.8 in (35 cm)
------------------------	-----------------

Package 1 Length	6.5 in (16.5 cm)
-------------------------	------------------

Package weight(Lbs)	57.3 lb(US) (26 kg)
----------------------------	---------------------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
SCIP Number	7547f066-9302-46d9-96e9-461928dd6901
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
PVC free	No
Silicon free	Yes

Use Longer



Lifetime extension

Repair	No
Upgradeability	Yes

Use Again



Repack and remanufacture


Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

